

## Literatuurlijst

- Anbu, AT, Cleary AG (2009). Chronic fatigue syndrome/myalgic encephalopathy in children. *Paediatrics and Child Health* 19(2): 84-89
- Arashima Y, Kato K, Komiya T, Kumasaki K, Matsukawa Y, Murakami M, Takahashi K, Ikeda T, Arakawa Y (2004). Improvement of chronic nonspecific symptoms by long-term minocycline treatment in Japanese patients with *Coxiella burnetii* infection considered to have post-Q fever fatigue syndrome. *Intern Med.* 2004; 43(1):49–54. Epub 2004/02/18. PMID: 14964579.
- Arashima Y, Yakubo S, Nagaoka H, Komiya T, Murakami M, Nakayama T, Kato K (2012). A Patient in Whom Treatment for *Coxiella burnetii* Infection Ameliorated a Depressive State and Thoughts of Impending Death. *International Medical Journal.* Mar 2012, 19. 65-66.
- Arashima Y, Yakubo S, Ueda Y, Munemura T, Komiya T, Isa H, Nakayama T (2013). A first case of asthma thought to be caused by coxiella burnetti infection. *International Medical Journal.* 20. 699-700.
- Arboportaal (2017). Nieuwe Arbowet: Belangrijkste wijzigingen op een rij. <https://www.arboportaal.nl/campagnes/nieuwe-arbowet/belangrijkste-wijzigingen>
- Arnau RC, Meagher MW, Norris MP, Bramson R (2001). Psychometric evaluation of the Beck Depression Inventory-II with primary care medical patients. *Health Psychol* 2001; 20(2):112- 119.
- Ayres JG, Wildman M, Groves J, Ment J, Smith EG, Beattie JM (1989). Long-term follow-up of patients from the 1989 Q fever outbreak: no evidence of excess cardiac disease in those with fatigue. *QJM.* 2002; 95 (8):539–46. Epub 2002/07/30. PMID: 12145393.
- Ayres JG, Smith EG, Flint N (1996). Protracted fatigue and debility after acute Q fever. *Lancet,* 1996. 347:p 978-979
- Ayres JG, Flint N, Smith EG, Tunnicliffe WS, Fletcher TJ, Hammond K, Ward D, Marmion BP (1998). Post-infection fatigue syndrome following Q fever. *QJM : monthly journal of the Association of Physicians.* 91. 105-23.
- Barralet JH, Parker NR (2004). Q fever in children: an emerging public health issue in Queensland. *Medical Journal of Australia* 2004; 180 (11): 596-597.
- Beck AT, Guth D, Steer RA, Ball R (1997). Screening for major depression disorders in medical inpatients with the Beck Depression Inventory for Primary Care. *Behaviour Research and Therapy.* 1997;35: 785–91.
- Bennett BK, Hickie IB, Vollmer-Conna US, Quigley B, Brennan CM, Wakefield D, Douglas MP, Hansen GR, Tahmildjis AJ, Lloyd AR (1998). The Relationship between Fatigue, Psychological and Immunological Variables in Acute Infectious Illness. *Australian & New Zealand Journal of Psychiatry*,32(2), 180 - 186. <https://doi.org/10.3109/00048679809062727>
- Bleijenberg G, van der Meer JWM (2010). Chronic Fatigue Syndrome, chapter 389 uit: Longo D, Fauci A, Kasper D, Hauser S, Jameson J, Loscalzo J. *Harrison's Principles of Internal Medicine*, 18th Edition, 2010.
- Bleijenberg G, Knoop H (2011). Chronic fatigue syndrome: where to PACE from here? *Lancet* 2011 Mar 5; 377(9768):786-8
- Brooke RJ, van Lier A, Donker GA, W VDH, Kretzschmar ME (2014). Comparing the impact of two concurrent infectious disease outbreaks on The Netherlands

- population, 2009, using disability-adjusted life years. *Epidemiol Infect.* 2014;1-10. Epub 2014/01/31. doi: 10.1017/s0950268813003531. PubMed PMID: 24476696.
- Castell BD, Kazantzis N, Moss-Morris RE (2010). Cognitive behavioral therapy and graded exercise for chronic fatigue syndrome: A meta-analysis. *Clin Psychol: Sci Pract.* 2011;18(4):311–24. doi: 10.1111/j.1468-2850.2011.01262.x
  - CBO. Richtlijn ‘Diagnose, behandeling, begeleiding en beoordeling van patiënten met het chronisch vermoeidheidssyndroom (CVS)’ (2013)
  - Cope H, David A, Pelosi A, Mann A (1994). Predictors of chronic “postviral” fatigue. *Lancet.* 1994 Sep 24; 344 (8926):864-8
  - Cope H, David A, Pelosi A, Mann A (1995). Chronic fatigue syndrome. *Lancet.* 1995 Jan 14; 345(8942):131.
  - Coronel Instituut (2016). Richtlijn Chronisch Zieken en Werk.
  - Cup EHC, Satink T. (2017). Ergotherapierichtlijn QVS – Coaching bij activiteiten van het dagelijks leven. Radboudumc & Hogeschool van Arnhem en Nijmegen. Nijmegen 2017.
  - Delsing CE, Bleeker-Rovers CP, Nabuurs-Franssen M, Sprong T, Van der Ven AJ, Kullberg BJ (2009). Q-koorts, een potentieel ernstige ziekte. *Ned. Tijdschr Geneeskde* 2009; 153:A112
  - Drachler ML, Leite JC, Hooper L, Hong CS, Pheby D, Nacul L, Lacerda E, Campion P, Killet A, McArthur M, Poland F (2009). The expressed needs of people with chronic fatigue syndrome/myalgic encephalomyelitis: a systematic review. *BMC Public Health* 2009, 9: 458.
  - Dupuis G, Péter O, Pedroni D, Petite J (1985). Clinical aspects observed during an epidemic of 415 cases of Q fever. *Schweizerische Medizinische Wochenschrift* 1985 Jun 15; 115(24):814-8.
  - Eldin C, Melenotte C, Mediannikov O, Ghigo E, Million M, Edouard S, Mege J, Marin M, Raoult D (2017). From Q Fever to *Coxiella burnetii* Infection: a Paradigm Change. *Clin Microbiol Rev.* 2017 Jan; 30(1):115-190.
  - Evers S, Goossens M, de Vet H, van Tulder M, Ament A (2005). Criteria list for assessment of methodological quality of economic evaluations: Consensus on Health Economic Criteria. *Int J Technol Assess Health Care.* 2005;21(2):240-5. PubMed PMID: 15921065.
  - Falke Verbaan. Eigen-Regiemodel. <https://www.falkeverbaan.nl/eigen-regiemodel/2/>
  - Flottorp SA, Oxman AD, Krause J, Musila NR, Wensing M, Godycki-Cwirko M, Baker R, Eccles MP (2013). A checklist for identifying determinants of practice: a systematic review and synthesis of frameworks and taxonomies of factors that prevent or enable improvements in healthcare professional practice. *Implementation Science.* 2013;8: 35
  - Fukuda K, Straus SE, Hickie I, Sharpe MC, Dobbins JG, Komaroff A (1994). The Chronic Fatigue Syndrome: A Comprehensive Approach to Its Definition and Study. *Ann Intern Med.* 1994; 121(12):953–9. doi: 10.7326/0003-4819-121-12-199412150-00009 PMID: 7978722
  - Fuller JT, Hartland MC, Maloney LT, Davison K (2018). Therapeutic effects of aerobic and resistance exercises for cancer survivors: a systematic review of meta-analyses of clinical trials. *Br J Sports Med.* 2018 Oct;52(20):1311.
  - Galbraith S, Cameron B, Li H, Lau D, Vollmer-Conna U, Lloyd AR (2011). Peripheral blood gene expression in postinfective fatigue syndrome following

- from three different triggering infections. *Journal of Infectious Diseases* 2011 Nov 15; 204(10): 1632-40. doi: 10.1093/infdis/jir612. Epub 2011 Sep 29
- Gezondheidsraad (2018). ME/CSV. Den Haag: Gezondheidsraad, 2018; publicatie nr. 2018/07.
  - Harris RJ, Storm PA, Lloyd A, Arens M, Marmion BP (2000). Long-term persistence of *Coxiella burnetii* in the host after primary Q fever. *Epidemiol Infect.* 2000; 124(3): 543-9. Epub 2000/09/12. PubMed PMID: 10982079; PubMed Central PMCID: PMC2810941.
  - Hatchette TF, Hayes M, Merry H, Schlech WF, Marrie TJ (2013). The effect of *C. burnetii* infection on the quality of life of patients following an outbreak of Q fever. *Epidemiol Infect.* 2003; 130(3): 491-5. Epub 2003/06/27. PubMed PMID: 12825734; PubMed Central PMCID: PMC2869986.
  - Harvey-Sutton PL (1995). Post-Q fever syndrome. *Med J Aust.* 1995; 162(3): 168. Epub 1995/02/06. PubMed PMID: 7854246.
  - Heins MJ, Knoop H, Prins JB, Stulemeijer M, van der Meer JWM, Bleijenberg G (2010). Possible detrimental effects of cognitive behaviour therapy for chronic fatigue syndrome. *Psychotherapy & Psychosomatics* 2010; 79[4], 249-256
  - Hickie I, Davenport T, Wakefield D, Vollmer-Conna U, Cameron B, Vernon SD, Reeves WC, Lloyd A (2006). Post-infective and chronic fatigue syndromes precipitated by viral and non-viral pathogens: prospective cohort study. *BMJ* 2006; 333(7568): 575
  - Hopper B, Cameron B, Li H, Graves S, Stenos J, Hickie I, Wakefield D, Vollmer-Conna U, Lloyd AR (2016). The natural history of acute Q fever: a prospective Australian cohort. *QJM.* 2016 Oct; 109(10): 661-668. Epub 2016 Apr 1.
  - Hoving J, Schaafsma F, Verbeek J, Kok R (2018). Oefentherapie effectief bij chronische vermoeidheidssyndroom: In samenwerking met Cochrane Insurance Medicine en Cochrane Work. *Tijdschrift voor Bedrijfs- en Verzekeringsgeneeskunde.* 26. 70-72. 10.1007/s12498-018-0028-9.
  - Hulme K, Hudson J, Rojczyk P, Little P, Moss-Morris R (2017). Biopsychosocial risk factors of persistent fatigue after acute infection: A systematic review to inform interventions. *Journal of Psychosomatic Research* 99 2017, 120-129.
  - Hutting N, Raaijmakers T, Heerkens Y (2018). [Werkwijzer Q-koorts](#). Q-support, 2018
  - Iwakami E, Arashima Y, Kato K, Komiya T, Matsukawa Y, Ikeda T, Arakawa Y, Oshida S (2006). Treatment of Chronic Fatigue Syndrome with Antibiotics: Pilot Study Assessing the Involvement of *Coxiella burnetii* Infection. *Internal medicine* (Tokyo, Japan). 44. 1258-63. 10.2169/internalmedicine.44.1258.
  - Jaarsveld CHM van, DFM Reukers, R Akkermans, SP Keijmel, G Morroy, ASG van Dam, PC Wever, CCH Wielders, J van der Velden, JAF van Loenhout and JLA Hautvast. The burden of disease of Q-fever: a meta-analysis with individual patient data up to nine years after acute infection. Abstract ESCAIDE Conference November 2018.
  - Janse A, Nikolaus S, Wiborg JF, Heins M, van der Meer JWM, Bleijenberg G, Tummers M, Twisk J, Knoop H (2017). Long-term follow-up after cognitive behaviour therapy for chronic fatigue syndrome. *J Psychosom Res.* 2017; 97: p. 45-51.
  - Janse A, Worm-Smeitink M, Bleijenberg G, Donders R, Knoop H (2018). Efficacy of web-based cognitive-behavioural therapy for chronic fatigue syndrome: randomised controlled trial. *Br J Psychiatry.* 2018 Feb; 212(2): 112-118.

- Kadota Y, Cooper G, Burton AR, Lemon J, Schall U, Lloyd A, Vollmer-Conna U (2010). Autonomic hyper-vigilance in post- infective fatigue syndrome. *Biol Psychol.* 2010; 85(1):97–103. doi: 10.1016/j.biopsych.2010.05.009
- Kampschreur LM, Hagenaars JC, Wielders CC, Elsman P, Lestrade PJ, Koning OH, Oosterheert JJ, Renders NH, Wever PC (2013). Screening for *Coxiella burnetii* seroprevalence in chronic Q fever high-risk groups reveals the magnitude of the Dutch Q fever outbreak. *Epidemiol Infect.* 2013; 141: p. 847 - 851.
- Kampschreur LM, Delsing CE, Groenwold RHH, Wegdam-Blans MCA, Bleeker-Rovers CP, De Jager-Leclercq MGL, Hoepelman AIM, Van Kasteren ME, Buijs J, Renders NHM, Nabuurs-Franssen MH, Oosterheert JJ, Wever PC (2014). Chronic Q Fever in the Netherlands 5 Years after the Start of the Q Fever Epidemic: Results from the Dutch Chronic Q Fever Database. *Journal of Clinical Microbiology* Apr 2014, 52 (5) 1637-1643; DOI: 10.1128/JCM.03221-13
- Kato K, Arashima Y, Asai S, Furuya Y, Yoshida Y, Murakami M, Takahashi Y, Hayashi K, Katayama T, Kumazaka K, Arakawa Y, Kawano K (1998). Detection of *Coxiella burnetii* specific DNA in blood samples from Japanese patients with chronic nonspecific symptoms by nested polymerase chain reaction. *FEMS Immunol Med Microbiol.* 1998;21(2):139-44. Epub 1998/07/31. PubMed PMID: 9685003.
- Keijmel SP, Morroy G, Delsing CE, Bleijenberg G, Bleeker-Rovers CP, Timen A (2012). Persistent fatigue following Q fever. *Nederlands Tijdschrift voor Geneeskunde* 156(48): A5258.
- Keijmel SP, Delsing CE, Sprong T, Bleijenberg G, van der Meer JW, Knoop H, Bleeker-Rovers CP. (2013). The Qure study: Q fever fatigue syndrome-- response to treatment; a randomized placebo-controlled trial. *BMC Infectious Diseases* 2013 Mar 27;13: 157
- Keijmel SP, Saxe J, van der Meer JW, Nikolaus S, Netea MG, Bleijenberg G, Bleeker-Rovers CP, Knoop H. (2015). A comparison of patients with Q fever fatigue syndrome and patients with chronic fatigue syndrome with a focus on inflammatory markers and possible fatigue perpetuating cognitions and behaviour. *Journal of Psychosomatic Research* 79(4): 295-302.
- Keijmel SP, Raijmakers RP, Schoffelen T, Salet MC, Bleeker-Rovers CP (2016).A fatal case of disseminated chronic Q fever: a case report and brief review of the literature. *Infection.* 2016. 44(5): p. 677-82.
- Keijmel SP, Delsing CE, Bleijenberg G, van der Meer JWM, Donders RT, Leclercq M, Kampschreur LM, van den Berg M, Sprong T, Nabuurs-Franssen MH, Knoop H, Bleeker-Rovers CP (2017). Effectiveness of Long-term Doxycycline Treatment and Cognitive-Behavioral Therapy on Fatigue Severity in Patients with Q Fever Fatigue Syndrome (Qure Study): A Randomized Controlled Trial. *Clinical Infectious Diseases* 64(8): 998-1005
- Knight SJ, Scheinberg A, Harvey AR (2013). Interventions in pediatric chronic fatigue syndrome/myalgic encephalomyelitis: a systematic review. *J Adolesc Health.* 2013 Aug;53(2):154-65. doi: 10.1016/j.jadohealth.2013.03.009. Epub 2013 May 1
- Larun L, Brurberg KG, Odgaard-Jensen J, Price JR (2017). Exercise therapy for chronic fatigue syndrome. *Cochrane Database Syst Rev.* 2017 Apr 25;4:CD003200. doi: 10.1002/14651858
- LCI (2012). Multidisciplinaire LCI-richtlijn Q-koortsvermoeidheidssyndroom (QVS) 2012. <https://lci.rivm.nl/richtlijnen/q-koortsvermoeidheidssyndroom>
- LCI (2018). LCI-richtlijn Q-koorts. [www.lci.rivm.nl/richtlijnen/q-koorts](http://www.lci.rivm.nl/richtlijnen/q-koorts).

- Ledina D, Bradarić N, Milas I, Ivić I, Brncić N, Kuzmicić N (2007). Chronic fatigue syndrome after Q fever. *Medical Science Monitor* 13(7): CS88-CS92
- Limonard GJ, Nabuurs-Franssen MH, Weers-Pothoff G, Wijkmans C, Besselink R, Horrevorts AM, Schneeberger PM, Groot CA (2010a). One-year follow-up of patients of the ongoing Dutch Q fever outbreak: clinical, serological and echocardiographic findings. *Infection.* 2010a;38(6):471–7. Epub 2010/09/22. Pmid: 20857313; PubMed Central PMCID: PMC3003145.
- Limonard GJ, Peters JB, Nabuurs-Franssen MH, Weers-Pothoff G, Besselink R, Groot CA, Dekhuijzen PN, Vercoulen JH (2010b). Detailed analysis of health status of Q fever patients 1 year after the first Dutch outbreak: a case-control study. *QJM.* 103(12):953-8. Epub 2010/08/31. doi: 10.1093/qjmed/hcq144. PubMed PMID: 20802011.
- Limonard GJ, Peters JB, Besselink R, Groot CA, Dekhuijzen PN, Vercoulen JH, Nabuurs-Franssen MH (2016). Persistence of impaired health status of Q fever patients 4 years after the first Dutch outbreak.
- Malouff JM, Thorsteinsson EB, Rooke SE, Bhullar N, Schutte NS (2008). Efficacy of cognitive behavioral therapy for chronic fatigue syndrome: a meta-analysis. *Clinical Psychology Review* 2008. 28[5], 736-745.
- Maltezou HC, Raoult D (2002). Q fever in children. *The Lancet Infectious Diseases* 2002 Nov; 2(11):686-91
- Marmion BP, Harris RJ, Storm PA, Semendric L (2002) Q fever: still a mysterious disease. *QJM,* 2002. 95(12)P. 832-3
- Marmion BP, Shannon M, Maddocks I, Storm P, Penttila I (1996). Protracted debility and fatigue after acute Q fever. *Lancet.* 1996; 347(9006):977–8. Epub 1996/04/06. PMID: 8598796.
- Marmion BP (2009). A guide to Q fever and Q fever vaccination. In CSL Biotherapies. Australia. 2009:p. 44-47
- Million M, Thuny F, Richet H, Raoult D (2010). Long-term outcome of Q fever endocarditis: a 26-year personal survey. *Lancet Infect Dis.* 2010. 10(8):527-35.
- Morroy G, Peter JB, Van Nieuwenhof M, Bor HJ, Hautvast JLA, Van der Hoek W, Wijkmans CJ, Vercoulen JH (2011). The health status of Q-fever patients after long-term follow-up. *BMC Infect Dis,* 2011. 11:p. 97
- Morroy G, Bor HH, Polder J, Hautvast JL, van der Hoek W, Schneeberger PM, Wijkmans CJ (2012). Self-reported sickleave and long-term health symptoms of Q-fever patients. *Eur J Public Health.* 2012; 22(6):814–9. Epub 2012/02/09. Doi: 10.1093/eurpub/cks003 PMID: 22315459
- Morroy G, Van Der Hoek W, Nanver ZD, Schneeberger PM, Bleeker-Rovers CP, Van Der Velden J, Coutinho RA (2016a). The health status of a village population, 7 years after a major Q fever outbreak. *Epidemiol Infect.* Apr; 144(6):1153-62. doi: 10.1017/S0950268815002472. Epub 2015 Nov 12.
- Morroy G, Keijmel SP, Delsing CE, Bleijenberg G, Langendam M, Timen A, Bleeker-Rovers CP (2016b). Fatigue following acute Q-fever: A systematic literature review. *PLoS ONE* 11 (5): e0155884
- Moss-Morris R, Spence MJ, Hou R (2011). The pathway from glandular fever to chronic fatigue syndrome: can the cognitieve behavioural model provide the map? *Psychol Med.* 2011, 41(5): 1099-107
- NCVB (2016). Registratierichtlijn C004 - Q-koorts als beroepsziekte. <https://www.beroepsziekten.nl/registratierichtlijnen/beroepsziekten-door-biologische-agentia/q-koorts>.

- Nijhof SL, Bleijenberg G, Uiterwaal CS, Kimpen JL, van de Putte EM (2012). Effectiveness of internet-based cognitive behavioural treatment for adolescents with chronic fatigue syndrome (FITNET): a randomised controlled trial. Lancet. 2012 Apr 14;379(9824):1412-8. doi: 10.1016/S0140-6736(12)60025-7. Epub 2012 Mar 3
- Nijhof SL, Priesterbach LP, Uiterwaal CS, Bleijenberg G, Kimpen JL, van de Putte EM (2013). Internet-based therapy for adolescents with chronic fatigue syndrome: long-term follow-up. Pediatrics. 2013 Jun;131(6):e1788-95. doi: 10.1542/peds.2012-2007. Epub 2013 May 13
- NVAB (2013). Leidraad Casemanagement bij ziekteverzuimbegeleiding. NVAB, juni 2013. <https://www.nvab-online.nl/richtlijnen-en-kennisdocumenten/procedurele-leidraden/Leidraad-Casemanagement-bij-ziekteverzuimbegeleiding>
- NVK (2019). Richtlijn onvoldoende verklaarde lichamelijke klachten (SOLK) bij kinderen.
- O'Dwyer T, Durcan L, Wilson F (2017). Exercise and physical activity in systemic lupus erythematosus: A systematic review with meta-analyses. Semin Arthritis Rheum. 2017 Oct;47(2):204-215
- Penttila IA, Harris RJ, Storm P, Haynes D, Worswick DA, Marmion BP (1998). Cytokine dysregulation in the post-Q-fever fatigue syndrome. QJM. 1998;91(8):549-60. Epub 1999/01/20. Pmid: 9893758.
- Persoon M (2010). Q-koorts in Nederland: klinisch beeld, diagnostiek en therapie. Huisarts&Wetenschap 2010; 53(5)
- Powell O (1960). "Q" fever: clinical features in 72 cases. Aust Ann Med. 1960;9:214-23.
- Price JR, Mitchell E, Tidy E, Hunot V (2008). Cognitive behaviour therapy for chronic fatigue syndrome in adults. Cochrane Database of Systematic Reviews [3], 2008. CD001027
- Prins JB, Bazelmans E, Van der Werf S, Van der Meer JWM, Bleijenberg G (2002). Cognitive behaviour therapy for chronic fatigue syndrome: predictors of treatment outcome. In: Sivik T, Byrne D, Lipsitt DR, Christodoulou GN, Dienstfrey (eds). *Psycho-neuro-endocrinology, a common language for the whole human body*. Amsterdam: Elsevier, 2002, 1241: 131-135
- Prins JB, Bleijenberg G, Klein Rouweler E, van Weel C, van der Meer JWM (2000). Doctor-patiënt relationship in primary care of chronic fatigue syndrome: perspectives of the doctor and the patiënt. J Chronic Fatigue Syndrome 2000. 7:3-15
- Q-support (2018). Folder Beweegprogramma Q-koortspatienten.
- Q-support. Training Chronische Q-koorts of QVS. Hoe ga ik daarmee om ...?
- Q-support (2018). Werkinstructie fysiotherapie bij mensen met Q-koortsvermoeidheidssyndroom (QVS).
- Raijmakers R, Keijmel S, Breukers E, Bleijenberg G, Van der Meer J, Bleeker-Rovers C, Knoop H (2018). Long-term effect of cognitive behavioural therapy and doxycycline treatment for patients with Q fever fatigue syndrome: one-year follow-up of the Qure study. Journal of Psychosomatic Research 116 . November 2018
- Raoult D (2002). Q fever: still a mysterious disease. QJM. 2002;95(8):491-2. Epub 2002/07/30. PubMed PMID: 12145387.
- Reeves WC, Lloyd A, Vernon SD, Klimas N, Jason LA, Bleijenberg G, Evengard B, White PD, Nisenbaum R, Unger ER; International Chronic Fatigue Syndrome

- Study Group (2003). Identification of ambiguities in the 1994 chronic fatigue syndrome research case definition and recommendations for resolution. *BMC Health Serv Res.* 2003; 3(1):25. doi: 10.1186/1472-6963-3-25 PMID: 14702202; PubMed Central PMCID: PMC317472
- Reilly S, Northwood JL, Caul EO (1990). Q fever in Plymouth, 1972-88. A review with particular reference to neurological manifestations. *Epidemiol Infect.* 1990; 105(2):391-408. Epub 1990/10/01. PubMed PMID: 2209742; PubMed Central PMCID: PMC2271878.
  - Reukers DFM, Van Jaarsveld CHM, Knoop H, Bleeker-Rovers CP, Akkermans R, De Grauw W, Van der Velden K, Van Loenhout JAF, Hautvast JLA (1). Explaining the long-term impact of chronic Q fever and Q fever fatigue syndrome on psychosocial functioning: a 2 comparison with diabetes and the general population. Submitted 2018.
  - Reukers DFM, J Aaronson, JAF van Loenhout, B Meyering, K van der Velden, JLA Hautvast, CHM van Jaarsveld, RPC Kessels (2). Cognitive performance of patients with chronic Q fever or Q fever fatigue syndrome. Submitted 2018.
  - Reukers DFM, JAF van Loenhout, I Roof, TF Senden, SP Keijmel, CP Bleeker-Rovers, CHM van Jaarsveld, JLA Hautvast, K van der Velden (3). Impact of Q fever fatigue syndrome on work status of patients. Submitted 2018.
  - Richardus JH, Schaap GJP, Donkers A, Dumas AM, Huisman J (1984). Q-koorts in Nederland; een beschrijving van 33 ziektegevallen waargenomen tussen 1979 en 1983. *Ned Tijdschr Geneesk* 1984; 128: nr 48.
  - RIVM Atlastinfectieziekten, [www.atlasinfectieziekten.nl/Q-koorts](http://www.atlasinfectieziekten.nl/Q-koorts)
  - RIVM Onderwerpen Q-koorts, [www.rivm.nl/Onderwerpen/Q/Q\\_koorts](http://www.rivm.nl/Onderwerpen/Q/Q_koorts)
  - Schoffelen T, Herremans T, Sprong T, Nabuurs-Franssen M, Wever PC, Joosten LA, Netea MG, van der Meer JW, Bijlmer HA, van Deuren M (2013). Limited humoral and cellular responses to Q fever vaccination in older adults with risk factors for chronic Q fever. *J Infect.* 2013 Dec;67(6):565-73. Doi: 10.1016/j.jinf.2013.08.008. Epub 2013 Aug 22.
  - Schoffelen T, Joosten LA, Herremans T, de Haan AF, Ammerdorffer A, Rümke HC, Wijkmans CJ, Roest HI, Netea MG, van der Meer JW, Sprong T, van Deuren M (2013). Specific interferon γ detection for the diagnosis of previous Q fever. *Clin Infect Dis.* 2013 Jun;56(12):1742-51. Doi: 10.1093/cid/cit129. Epub 2013 Mar 5. PMID: 23463641
  - Shannon M (1992). The post Q fever fatigue syndrome: an epidemiological study (dissertation). 1992, University of Adelaide: Adelaide.
  - Song YY, Hu RJ, Diao YS, Chen L, Jiang XL (2018). Effects of Exercise Training on Restless Legs Syndrome, Depression, Sleep Quality, and Fatigue Among Hemodialysis Patients: A Systematic Review and Meta-analysis. *J Pain Symptom Manage.* 2018 Apr;55(4):1184-1195.
  - Strauss B, Loschau M, Seidel T, Stallmach A, Thomas A (2012). Are fatigue symptoms and chronic fatigue syndrome following Q fever infection related to psychosocial variables? *J Psychosom Res.* 2012;72(4):300-4.
  - SZW (Staatssecretaris van Sociale Zaken en Werkgelegenheid) (2017). Regeling procesgang eerste en tweede ziektejaar. <https://www.arkoportaal.nl/externe-bronnen/wetgeving/regeling-procesgang-eerste-en-tweede-ziektejaar>
  - Terheggen U, Leggat PA (2007). Clinical manifestations of Q fever in adults and children. *Travel Med Infect Dis.* 2007 May;5(3):159-64. Epub 2006 Jul 26

- Terluin B, Terluin M, Prince K, Van Marwijk HWJ (2008). De Vierdimensionale Klachtenlijst (4DKL) spoort psychische problemen op. Huisarts en Wetenschap 2008; 51: 251-5
- Terluin B, Oosterbaan DB, Brouwers EPM, van Straten A, van de Ven PM, Langerak W, van Marwijk HWJ (2014). To what extent does the anxiety scale of the Four-Dimensional Symptom Questionnaire (4DSQ) detect specific types of anxiety disorder in primary care? A psychometric study. BMC Psychiatry 2014; 14(1):121
- The Royal Australasian College of Physicians (2002). Chronic Fatigue Syndrome, clinical practice guidelines – 2002
- Thomas HV, Thomas DR, Salmon RL, Lewis G, Smith AP (2004). Toxoplasma and coxiella infection and psychiatric morbidity: a retrospective cohort analysis. BMC Psychiatry. 2004; 4: 32. Epub 2004/10/20. doi: 10.1186/1471-244x-4-32. PubMed PMID: 15491496; PubMed Central PMCID: PMCPmc526777.
- Turnbull N, Shaw EJ, Baker R, Dunsdon S, Costin N, Britton G, Kuntze S and Norman R (2007). Chronic fatigue syndrome/myalgic encephalomyelitis (or encephalopathy): diagnosis and management of chronic fatigue syndrome/myalgic encephalomyelitis (or encephalopathy) in adults and children. London: Royal College of General Practitioners.
- UWV (2013). Zo ga je goed voorbereid naar de verzekerkingsarts. <https://perspectief.uwv.nl/artikelen/goed-voorbereid-naar-de-verzekeringsarts>
- UWV (2018). Werkwijzer Poortwachter. <https://www.uwv.nl/werkgevers/Images/werkwijzer-poortwachter.pdf>
- UWV (2015). UWV-standaard Duurbelastbaarheid in Arbeid.
- Van Asseldonk MA, Prins J, Bergevoet RH (2013). Economic assessment of Q fever in the Netherlands. Prev Vet Med. 2013; 112(1-2):27-34. Epub 2013/07/23. doi: 10.1016/j.prevvetmed.2013.06.002. PubMed PMID: 23866818.
- Van Dam ASG, van Loenhout JAF, Peters JB, Rietveld A, Paget WJ, Akkermans RP, Olde Loohuis A, Hautvast JLA, Van der Velden J (2014). A cross-sectional study to assess the long-term health status of patients with lower respiratory tract infections, including Q fever. Epidemiol Infect. 2014; 1-7. Epub 2014/03/15. doi: 10.1017/s0950268814000417. PubMed PMID: 24625631.
- Van den Wijngaard CC, Dijkstra F, van Pelt W, van Asten L, Kretzschmar M, Schimmer B, Nagelkerke NJ, Vellema P, Donker GA, Koopmans MP (2011). In search of hidden Q-fever outbreaks: linking syndromic hospital clusters to infected goat farms. Epidemiol Infect. 2011 Jan; 139(1):19-26.
- Van der Hoek W, Hogema BM, Dijkstra F, Rietveld A, Wijkmans CJ, Schnieberger PM, Zaaijer HL (2012). Relation between Q fever notifications and *Coxiella burnetii* infections during the 2009 outbreak in The Netherlands. Euro Surveill, 2012. 17(3): p. 20058.
- Van der Zee KI, Sanderman R (2012). Het meten van de algemene gezondheidstoestand met de Rand-36. Een handleiding. Research Institute SHARE, 2e druk 2012. UMCG/Rijksuniversiteit Groningen. ISBN 90 72156 60 9
- Van Gestel-Timmermans JAWM, Brouwers EPM, Van Nieuwenhuizen C (2012). Herstellen doe je zelf: Evaluatie van een cliëntgestuurde cursus. Tijdschrift voor Rehabilitatie, 21(3), 32-41
- Van Loenhout JA, van Tiel HH, van den Heuvel J, Vercoulen JH, Bor H, van der Velden K, Paget WJ, Hautvast JL (2014). Serious long-term health consequences of Q-fever and Legionnaires' disease. J Infect. 2014. Epub 2014/01/29. Pmid: 24468188.

- Van Loenhout JA, Hautvast JL, Akkermans RP, Donders NC, Vercoulen JH, Paget WJ, Van der Velden K (2015a). Work participation in Q-fever patients and patients with Legionnaires' disease: A 12-month cohort study. 2015b Scand J Public Health. 2015;43(3):294-301. doi: 10.1177/1403494815571030. PubMed PMID: 25724468.
- Van Loenhout JA, Hautvast JL, Vercoulen JH, Akkermans RP, Wijkmans CJ, van der Velden K, Paget WJ (2015b). Q-fever patients suffer from impaired health status long after the acute phase of the illness: results from a 24-month cohort study. 2015a J Infect. 2015 ; 70(3):237–46. Pmid:25452036
- Van Loenhout JA, Wielders CC, Morroy G, Cox MJ, van der Hoek W, Hautvast JL, Paget WJ, Van der Velden J. (2015c). Severely impaired health status of non-notified Q fever patients leads to an underestimation of the true burden of disease. 2015c Epidemiol Infect. 2015:1–8. Epub 2015/01/15. Pmid:25582890.
- Van Woerden HC, Healy B, Llewelyn MB, Matthews IP (2011). A nested case control study demonstrating increased chronic fatigue six years after a Q fever outbreak. Microbiol Res. 2011;2(e19):69-72. doi: 10.4081/mr.2011.e19.
- Vercoulen JH, Swanink CM, Galama JM, Fennis JF, Jongen PJ, Hommes OR, van der Meer JW, Bleijenberg G (1998). The persistence of fatigue in chronic fatigue syndrome and multiple sclerosis: development of a model. J Psychosom Res. 1998 Dec; 45(6):507-17
- Versluis RGJA, De Waal MWM, Opmeer C, Petri H, Springer MP (1997). Prevalentie van chronische-vermoeidheidssyndroom in 4 huisartspraktijken in de regio Leiden, Ned Tijdschr Geneeskd. 1997, 141:1523-6
- Vollmer-Conna U, Piraino BF, Cameron B, Davenport T, Hickie I, Wakefield D, Lloyd AR; Dubbo Infection Outcomes Study Group (2008). Cytokine polymorphisms have a synergistic effect on severity of the acute sickness response to infection . Clinical Infectious Diseases 2008 Dec 1; 47(11):1418-25.
- Vos-Vromans DC, Smeets RJ, Huijnen IP, Köke AJ, Hitters WM, Rijnders LJ, Pont M, Winkens B, Knottnerus JA (2016). Multidisciplinary rehabilitation treatment versus cognitive behavioural therapy for patients with chronic fatigue syndrome: a randomized controlled trial. J Intern Med. 2016 Mar; 279(3):268-82. doi: 10.1111/joim.12402. Epub 2015 Aug 2
- Wegdam-Blans MCA, Kampschreur LM, Nabuurs-Franssen MH, Renders NHM, Delsing CE, Bijlmer HA (2011) Nederlandse consensus chronische Q-koorts. Tijdschrift voor Infectieziekten, 2011 (6: 71-3)
- Westra SA, Lopes Cardozo E, Ten Berg JAG (1958). De eerste gevallen van Q-koorts in Nederland. Ned. Tijdschrift Geneeskd 1958; 102: 69-72.
- White PD (2004). What causes chronic fatigue syndrome? Infections, physical inactivity, and enhanced interoception may all play a part. BMJ. 2004 Oct 23; 329(7472): 928–929. doi: 10.1136/bmj.329.7472.9282004
- White PD, Goldsmith KA, Johnson AL, Potts L, Walwyn R, DeCesare JC, Baber HL, Burgess M, Clark LV, Cox DL, Bavinton J, Angus BJ, Murphy G, Murphy M, O'Dowd H, Wilks, D, McCrone P, Chalder T, Sharpe M (2011). Comparison of adaptive pacing therapy, cognitive behavior therapy, graded exercise therapy, and specialist medical care for chronic fatigue syndrome (PACE): a ehaviord trial. Lancet 2011 Mar 5; 377(9768):823-36
- White PD, Thomas JM, Kangro HO, Bruce-Jones WDA, Amess J, Crawford DH, Grover SA, Clare AW (2001). Predictions and associations of fatigue syndromes and mood disorders that occur after infectious mononucleosis. Lancet 2001 Dec 8; 358(9297): 1946-1954

- Wiborg JF, van Bussel J, van Dijk A, Bleijenberg G, Knoop H (2015). Randomised controlled trial of cognitive behaviour therapy delivered in groups of patients with chronic fatigue syndrome. *Psychother Psychosom*. 2015;84(6):368-76
- Wielders CC, van Loenhout JA, Morroy G, Rietveld A, Notermans DW, Wever PC, Renders NH, Leenders AC, van der Hoek W, Schneeberger PM (2015). PLoS One. Long-Term Serological Follow-Up of Acute Q-Fever Patients after a Large Epidemic. 2015 Jul 10;10(7):e0131848. doi: 10.1371/journal.pone.0131848. eCollection 2015. PMID: 26161658
- Wildman MJ, Ayres JG (2002a). Q fever: still a mysterious disease. *QJM*. 2002;95(12):833-4. Epub 2003/01/15. PubMed PMID: 12524714.
- Wildman MJ, Smith EG, Groves J, Beattie JM, Caul EO, Ayres JG (2002b). Chronic fatigue following infection by *Coxiella burnetii* (Q fever): ten-year follow-up of the 1989 UK outbreak cohort. *Q J Med* 2002; 95:527–538
- Worm-Smeitink M, Nikolaus S, Goldsmith K, Wiborg J, Ali S, Knoop H, Chalder T (2016). Cognitive behaviour therapy for chronic fatigue syndrome: Differences in treatment outcome between a tertiary treatment centre in the United Kingdom and the Netherlands. *J Psychosom Res*. 2016 Aug;87:43-9.
- Worm-Smeitink M, Gielissen M, Bloot L, van Laarhoven HWM, van Engelen BGM, van Riel P, Bleijenberg G, Nikolaus S, Knoop H (2017). The assessment of fatigue: Psychometric qualities and norms for the Checklist individual strength. *J Psychosom Res*. 2017 Jul;98: 40-46.
- Yakubo S, Ueda Y, Tanekura N, Arashima Y, Nakayama T, Komiya T, Kato K (2012). The First Case of a Patient Suffering from *Coxiella burnetii* Infection Attempting Suicide Arising from a State of Depression. *International Medical Journal*. 19. 312-313.
- Yakubo S, Ueda Y, Tanekura N, Arashima Y, Munemura T, Nakayama T, Komiya T, Kato K (2013a). Kampo formula Shakuyaku-kanzo-To alleviates sensation of muscle spasm in *Coxiella burnetii* infection. *International Medical Journal* 20(2): 218-220
- Yakubo, S., Ueda Y, Arashima Y. (2013b). Long-term absence from school of a boy suffering severe general Malaise from *Coxiella burnetii* infection. *International Medical Journal* 20(6): 688-690
- Yakubo S, Ueda Y, Arashima Y, Nakayama T, Komiya T (2016). A case of *Coxiella burnetii* infection treated with medication therapy and cognitive behavioral therapy. *International Medical Journal* Aug2016 23(4): 316-318
- Zhang L, Gough J, Christmas D, Mattey DL, Richards SC, Main J, Enlander D, Honeybourne D, Ayres JG, Nutt DJ, Kerr JR (2010). Microbial infections in eight genomic subtypes of chronic fatigue syndrome/myalgic encephalomyelitis. *J Clin Pathol*. 2010 Feb;63(2):156-64. doi: 10.1136/jcp.2009.072561. Epub 2009 Dec 2.